Work Orde Friday, Novembe							,					Page
Item ID:	D206-667-20	3TRN		Accept					•	=== Start		
Item Name:	Crosstube Turr	ning Detail	·							Stop	4	
Start Date:	11/19/2010	Start Qty: 1.00			Cust Item I	D:						
Required Date:	11/26/2010	Req'd Qty: 1.00			Customer:							
Reference:			,					_	_	0	1 100011111 11	
Approvals:	Process Plan	n:	Date:10-11-19	Tooling:	Da	ite:				Start		
	QC:	/(Date:			ite:	-			Stop		
Sequence ID/ Work Center II)	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reje Qty		Reject Number	Insp. Stamp
Draw Nbr	Revi	ision Nbr										
D206-667-243	Rev	С										
100 	he Large		ATHE LARGE oe with sand & install plugs DT 2-Turn first side as per Folio F			. 7						
110 		QC1- Inspect dimension Memo	ions to dimension sheet	0.00	el 10.1	. 2 .	7					
120 Mori Seiki		MORI SEIKI CNC L	ATHE LARGE	0.00	P 10.	Z · 7	7	_/				

1-Turn second side as per Folio FA089□2-File down transition lines smooth.

☐
3-Remove sand and plugs ☐ 4-Scrib part# and batch #

Mori Seiki CNC Lathe Large

Dart Ae	rospace	Ltd							• 5
W/O:			W	ORK ORDER CHANGE	S				
DATE	STEP	PRO	CEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cat	egory:	NCR: Yes	No DQ	A :	Date:	
	Re	esolution:	Dispositi	on:	QA: N/C CI	osed:		Date:	
NCR:		\	NORK OR	DER NON-CONFORMAN	ICE (NCF	1)			
D.4.T.F.	0755	Description of NC		Corrective Action Section		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Section		Chief Eng	QC Inspector
	1		1			1			

Work Order ID 63931

Friday, November 19, 2010 10:12:20 AM



Page 2

Item ID:

D206-667-203TRN

Accept



Setup Start



Pevision ID:

Item Name:

Crosstube Turning Detail

Start Date:

Required Date: 11/26/2010

11/19/2010

Start Qty: 1.00

Req'd Qty: 1.00



Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan: Date:

Tooling:

Set Up/

Run Hours

Date:

Run

Start

Stop

Stop

Sequence ID/

Work Center ID

Date:

SPC (Y/N):

Date:

Tool # Plan

Code

Accept Qty

Reject **Oty**

Reject Insp. Number Stamp

130

QC

Quality Control

Operation **Description**

QC1- Inspect dimensions to dimension sheet

0.00

0.00

Tool ID

140

QC

Quality Control

QC8- Inspect parts - second check

Memo

Memo

0.00

10/12/02

150

HandFXtube


Hand Finishing Crosstubes

Crosstubes Chemical Conversion

Memo

0.00

0.00



Dart Ae	rospace	Ltd						•
W/O:			WC	ORK ORDER CHANGE	S			
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA:	Date: _	
	Re	solution:	Disposition	n:	QA: N/C Clo	sed:	Date: _	
NCR:			WORK ORDI	ER NON-CONFORMAI	NCE (NCR)			
		Description of NC		Corrective Action Section		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector

Work Order ID 63931

Friday, November 19, 2010 10:12:20 AM



Page 3

Item ID:

D206-667-203TRN

Accept



Setup Start

Stop



Revision ID:

Item Name:

Crosstube Turning Detail

Start Date:

11/19/2010

Start Qty: 1.00

Operation

Description

Required Date: 11/26/2010

Req'd Qty: 1.00



Cust Item ID: Customer:

Reference:

Approvals:

Process Plan: _____ Date: ____ Tooling:

QC: Date: SPC (Y/N):

Date:

Date:

Run

Start

Stop



Sequence ID/ **Work Center ID**

160

QC Quality Control

Memo

QC3- Inspect Part Finish

Set Up/ **Run Hours**

0.00

0.00

0.00

0.00

Tool ID

Tool # Plan Code

Accept Qty

Reject Qty

Reject Number Stamp

Insp.

170

Packaging

Packaging

Identify and Stock in kanban rack □ Location: /

Packaging

180

QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

MF 10-12-13

	1									
W/O:			WC	RK ORDER CHAN	NGES					
DATE	STEP	PRO	OCEDURE CHAI	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCF	R: Yes	No DQ	A:	Date: _	
		esolution:								
NCR:			WORK ORDI	ER NON-CONFOR	MANCE	(NCR)			
DATE	STEP	Description of NC			Section B		Verific	ation	Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Descriptio	on	Sign & Date	Secti	on C	Chief Eng	QC Inspector
								<u>.</u>		
					:		į			
			1 1				- I .			

Friday, November 19, 2010 10:12:25 AM

Work Order ID: 63931

Parent Item:

D206-667-203TRN

Parent Item Name: Crosstube Furning Detail



Start Date: .1/19/2010

Required Date: 1./26/2010

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A 08-03-06 new issue DD verified by:ec

IPP Rev B 08.04.02 Removed polish EC verified by: DD IPP Rev C 09.01.06 ECN 08-562 EC verified by:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6004-115		Manufactured	No			100	Each	48.0000	1 { 	$\frac{1}{n}$	10 - 12	2.7	7

Crosstube Material

Loca	ation ·	Loc Qty	Loc Code	
LG		48		
	34685 🗸	17		X/()
	34774	2		
	38336	29		

W/O:			W	ORK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng /	Approval QC Inspector
								Prod Mgr	QO MOPOSION

Part No	•	PAR #:	Fault Cat	tegory:	_ NCR: Yes	No DQ	A:	Date: _	
	R	esolution:	Disposit	on:	_ QA: N/C C	losed:		Date: _	
NCR:		\	WORK ORI	DER NON-CONFORMA	NCE (NC	3)			
DATE	STEP	Description of NC		Corrective Action Section		Verifi	cation	Approval	Approval
DAIL	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date		ion C	Chief Eng	QC Inspector
					·				
		·						į	
								1	

DART AEROSPACE LTD	Work Order:	43931
Descripti n: Crosstube Assembly	Part Number:	D206-667-243
Inspection Dwg: D206-667-243 Rev: C		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

	spection Sheet awing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
	2.490	+0.005/-0.000	2.490			pl-02	all
	2.018	+0.005/-0.000	2.021				
	2.079	+0.005/-0.000	2.084		-		·
	2.145	+0.005/-0.000	2.150				
	2.209	+0.005/-0.000	2.214				
	2.287	+0.005/-0.000	2.291		_		
¥	2.363	+0.005/-0.000	2.364		-		
SIDE	2.433	+0.005/-0.000	2.438				
G	0.200	+/-0.010	. 200				
	0.500 x 30°	+/-0.010	,500 x30°				
	R0.063	+/-0.010	1.063		/		
	R0.500	+/-0.010	1.500				
	1.438	+/-0.030	4.435		_		
					_		
	104.91	+/-0.020	104.93			19-14	
	2.490	+0.005/-0.000	2.493				
	2.018	+0.005/-0.000	2.022				
	2.079	+0.005/-0.000	2.084				
	2.145	+0.005/-0.000	2.150		_		
	2.209	+0.005/-0.000	2.214				
മ	2.287	+0.005/-0.000	2.291				
SIDE	2.363	+0.005/-0.000	2.366				
ळ	2.433	+0.005/-0.000	2.438				
	0.200	+/-0.010	. 200		-		
	0.500 x 30°	+/-0.010	,500+ 70				
1	R0.063	+/-0.010	Riol3				
	R0.500	+/-0.010	2.500				
	4.438	+/-0.030	4, 135				

Measured by: Audited by: Preliminary Approval: N/A

Date: 10 12 7 Date: 10 12 09 Date: N/A

Rev	Date	Change	Revised by	Approved
Α	06.09.01	New Issue (P/O D206-667-203)	KJ/JLM 10	ł LL
В	10.08.25	Dwg Rev updated	KJ 🖘	\$A
				, -

W/O:			WC	RK ORDER CHANG	ES					
DATE	STEP	PRO	OCEDURE CHA	NGE	В	у	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #:	Fault Cate	gory:	_ NCR: `	res N	o DQ /	A:	Date:	
	R	esolution:	Disposition	n:	_ QA: N/	C Clos	sed:		Date: _	
NCR:			WORK ORDI	ER NON-CONFORM	ANCE (I	(CR)				
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Sect Action Description Chief Eng		ign & Date		cation ion C	Approval Chief Eng	Approval QC Inspector
							1			

Item	Qty -243	Part Number	Description
1	Х	D206-667-243	CROSSTUBE ASSEMBLY (206L HIGH AFT)
2	1	D6004-115	CROSSTUBE
3	2	D2873-043	NUT PLATE
4	2	D2873-045	NUT PLATE
5	2	D2892-1	SUPPORT
6	4	D3595-063-450	RUBBER CUSHION
7	4	MS21920-22	CLAMP
- 8	14	MS20601AD4W10	RIVET (OR NAS9302B-4-10)
9	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299- 947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

- 1) MATERIAL: MANUFACTURED FROM D6004-115
 - FINISHED LENGTH = 104.91±0.020
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2 PAINT OUTSIDE PER DART QSI 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- 6) IDENTIFICATION: SCRIBE DART PART NUMBER "D206-667-243" AND BATCH NUMBER ON INSIDE OF CUFF USING VIBRATING STYLUS.
- 7) WEIGHT: 21.9 lbs
- 8) PART IS SYMMETRIC ABOUT CENTERLINE.
- RUN CUTTER OFF PART WHERE INDICATED. BLEND OUT EDGE LONGITUDINALLY. TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 8 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2892-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRICR TO PACKAGING.
- 13) INSTALL MS21920-22 CLAMPS WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2892-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMP MECHANISMS ARE LOCATED ON CROSSTUBE SUPPORTS.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS ARE SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COPY RETURNTO UNCONTROLLED COFY ENGINEERING SUBJECT TO AMENDMENT WITHOUT NOTICE WITHOUT NOTICE
WORK ORDER
NO. 1237
NO. 11-19




D


В

C	REVISE GENERAL NOTES/PART LIST (ZN D7-1); REORGANIZED VIEWS AND REFORMATITED DRAWING TO CURRENT STANDARDS. D3595-083-450 WAS D2858-400-773 (ZN D6-2 & A5-2); REMOVED REF. & ADD TOLERANCES (ZN 4-3, C5-3, D3-3); RELOCATED FLAG #6 (ZN A8-3) PER NCR 210; MOVED TURNING DETAIL & UPDATED TOLERANCE TO SHEET 4.								
В		LES AND NUT HT/AA SKUDTU	PH	05.07.26					
Α	NEW IS	SSUE	CP	00.11.17					
REV.		C	BY	DATE					
DESIGN 47			DART AEROSPACE LTD						
DRAWN		RF,	HAWKESBURY, ONTAR	O, CAN	ADA				
CHECKED		- a	DRAWING NO.		REV. C				
MFG. APPR.		E	D206-667-243		SHEET 1 OF 4				
APPROVED //		111	TITLE		SCALE				
DE APPR.		-#	CROSSTUBE ASS'Y (206L)	IIGH A	FT) NTS				
DATE 08.11.06			COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT REPRINATE AND CONTRIBUTION THAT IT IS NOT TO BE USED FOR ANY REPROSE OR COSED OR COMMUNICATION TO ANY OWNER PERSON WITHOUT						


W/O:		WORK ORDER CHANGES										
DATE	STEP	PROCEDURE CHANGE					Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
	:											
 												
							V-117 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1					
Part No	:	PAR #:	_ Fault Ca	NC	R: Yes	No DQ .	Date:					
Resolution:			Disposition: Q			: N/C Cl	osed:	Date:				
NCR:		W	ORK OR	DER NON-CONFO	RMANC	E (NCR	3)					
DATE	STEP	Description of NC	Corrective Action Sect					cation	Approval	Approval		
DAIL	SILF	Section A	Initial Chief Eng	Action Descrip Chief Eng	tion ——————	Sign & Date	Sect	ion C	Chief Eng	QC Inspector		
									ļ			
									!			
						1						
							,					
								•				
						1						



W/O:		WORK ORDER CHANGES										
DATE	STEP	PROCEDURE CHANGE				Date	Qty	Approval Chief Eng /	Approval QC Inspector			
								Prod Mgr	GO Mapoctor			
	<u> </u>						<u> </u>	l	<u> </u>			
Part No	•	PAR #:	Fault Categ	ory:	NCR: Yes	es No DQA: Date:						
	Res	solution:	Disposition	:	QA: N/C CI	osed:	Date: _					
NCR:		,	WORK ORDE	R NON-CONFORM	ANCE (NCF	R)						
DATE	STEP	P Description of NC Section A		ction B	Verific	fication	Approvai	Approval				
DATE			Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector			
								:				
····												
								•				
			1 1		į							



W/O:		WORK ORDER CHANGES									
DATE	STEP	PRO	OCEDURE CHA	NGE	By Date Qty				Approval Chief Eng / Prod Mgr	Approval QC Inspector	
Part No:		PAR #:	Fault Cate	gory:	_ NCI	R: Yes I	No DQ	A :	Date:		
	R	esolution:	Dispositio	_ QA	N/C Clo	sed:		Date: _			
NCR:	***************************************	,	WORK ORD	ER NON-CONFORMA	NCE	(NCR		······································			
	CTED	Description of NC Section A	Corrective Action Section B					cation	Approval	Approval	
DATE	SIEP		Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section C		Chief Eng	QC Inspector	



W/O:		WORK ORDER CHANGES										
DATE	STEP	PROC	PROCEDURE CHANGE By Date Qty						Approval QC Inspector			
•												
Part No	:	PAR #:	Fault Ca	itegory:	NCR: Yes	No DQ	A:	Date:				
		esolution:		*								
NCR:		W	ORK OR	DER NON-CONFORMA	NCE (NC	R)						
DATE	STEP	STEP Description of NC Section A		Corrective Action Section		Verific	- Verification Section C	Approval Chief Eng	Approval			
DATE			Initial Chief Eng	Action Description Chief Eng	Sign Dat	& Secti			QC Inspector			
		•										
·									i i			
		,			,							
									5.			
i			1		l	- 1						